

Enviro Plus Entrance Mats

Specifications

General Information:

Surface

Fiber Type:	Solution Dyed Polypropylene, 100% Post Consumer Recycled PET
Weight:	30 ozs/sqyd (100ozs/sqyd total weight)
Nub Height:	1/4"
Design:	Non-woven Needle Punched – Basketweave, Diamondweave

Backing

Type:	SBR (Post Consumer Recycled Tires) and EPDM (Post Industrial Waste) Rubber
Thickness:	0.125" – Backing; 0.110" – Border
Durometer:	60

Features:

The Enviro Plus mat line is the most environmentally friendly interior wiper mat available today. It is constructed of 100% recycle PET face fiber and a 100% recycled rubber backing. Overall recycle content is 89% by product weight (76% Post Consumer, 13% Post Industrial). Enviro Plus mats are ideal for wear protection and spill control down hallways, at water fountains, break areas and reception areas.

- Textured surface: Removes and traps dirt and moisture and holds it on mat below shoe level so it is not tracked in.
- Recycled rubber backing: Lays flat, won't crack or curl like vinyl mats.
- Indoor/Outdoor: Durable anti-static polypropylene face suitable for indoor or outdoor use.
- Polypropylene fiber system dries quickly preventing fading and rotting.
- Easy to clean: Just vacuum or hose off and hang to dry.
- Colorfast: Solution dyed for excellent light and wet fastness.
- Not adversely effected by salt or ice melt.
- Should not be used in areas exposed to animal fats (kitchens) or petroleum products.
- Passes Flammability Standard DOC-FF-1-70
- Anti-static: Enviro Plus mats have a maximum average voltage of 1.6 KV as measured by the AATCC 134 Electrostatic Propensity Test and meets IBM's minimum standard for electrical resistance (NFPA99). These mats are safe for use in computer rooms and around electronic equipment.
- ASTM C 1028-89 Static Coefficient of Friction Dry 0.70.